TREND® WINDOWS & DOORS
A JELD-WEN Company

Quantum® Synergy® Trend thermAL®

NATIONAL SIZE MANUAL

Trend® Aluminium Windows and Doors

UNIFORM SIZES ACROSS AUSTRALIA

FOR THE FIRST TIME in Australia, architects, builders and specifiers can enjoy the efficiency of planning their builds using uniform window and door sizes. Trend® has tailored its sizes to standard openings based on industry brick sizes and block work. Trend manufactures in NSW, in Victoria, in Queensland, in South Australia and in the ACT. So now you can choose from our entire Quantum®, Synergy® and Trend thermAL® ranges and specify exactly for every project, large or small, in most parts of Australia*.

EASY FOR YOU TO USE

This handy guide sets out in a clear grid pattern:

- window size
- reveal size
- stud opening
- and brick size

CHOOSE YOUR WINDOWS & DOORS

Trend Quantum Series
Trend Synergy Series
Trend thermAL Series

- awning
- bifold
- casement
- double hung
- sashless double hung
- louvre
- sliding
- and stacker

ORGANISED FOR EVERY JOB

Over the page, we take you step by step through how to use the National Size Manual and make every job easier to specify.

If you need help with any window or door requirements, or you have a need for one of our special custom designs, just ask. Trend will work with you to give you exactly what you have in mind and what the job calls for.

This guide makes life easy wherever quality Australian made windows and doors fit the bill for your next residential build.

*(Trend windows and doors not available in Western Australia.)

HOW TO
USE THIS MANUAL

HOW TO READ OUR CODES

The code tells you the range, the type of window or door, its height and width and whether it has a transom. For example, the window QA1822T is as below. (Bifold and louvre are coded separately.)

BRAND	TYPE OF WINDOW OR DOOR	HEIGHT	WIDTH	TRANSOM
Q	A	18	22	T
Quantum	Awning	1800mm	2170mm	Transom



FOUR KEY MEASUREMENTS

Brick Size
Number of bricks for an opening based on the standard brick size 230mm x 110mm x 76mm

Stud Opening
Opening size between timber studs in a building. Applies to vertical and horizontal openings.

Reveal Size
Reveal is the timber surround fitted to the fin of a window or door used for installing it into the timber framing.

Window or Door Size
The actual Trend aluminium window or door frame height and width.





WHAT DOES THIS SPECIAL BOX MEAN?

Throughout the manual, you will see coloured outline boxes like this. They indicate that the windows and doors within the boxes have a special option available. For example, here the box tells you that these Quantum awning windows are also available in full width.

STANDARD FEATURE

This shows you the standard hardware supplied with the products featured on the page.

OPTIONAL FEATURES

The optional features that are available for the products on the page are indicated by a green tick. For a full description of these options, please turn to page 46.



If your window has a transom between the operating window and a low lite window, two additional heights are provided for you to review the total size.

MANUFACTURED AND TESTED IN AUSTRALIA

All windows and doors are designed to N2 design wind pressure and 150pa water rating.

ILLUSTRATIONS SHOW HOW EVERY WINDOW AND DOOR WORKS

WINDOW DESIGNS

Awning
Code: QA, SA, TA



Bifold
Code: QBW

Plan view Inside

Casement
Code: QC, TC

Plan view Inside

Louvre
Code: QL



Sashless Double Hung
Code: QDSL

Standard Double Hung
Code: SD
Widestyle Double Hung
Code: SWD

Sliding
Code: QS, SS

DOOR DESIGNS



Hinge
Code: QH, TH



Bifold Code: QBD, TB

Plan view Inside

Sliding
Code: QXD, SXD, TAXD



Sliding Stacker
Code: QSD, SSD, TASD

All doors and windows are viewed from the outside

TREND QUANTUM®
AWNING WINDOWS

Trend Quantum. Our premium series made in Australia from thicker gauge quality Australian aluminium. Designed to suit Australian tastes with clean lines, wider frames and the design options people want.

BRICK SIZE	2.5	3	3.5		5	6		6.5	7.5		9	10	11
STUD OPENING	670	790	910	970	1270	1510	1570	1630	1870	2170	2230	2470	2710
REVEAL SIZE	648	768	888	948	1248	1488	1548	1608	1848	2148	2208	2448	2688
WINDOW	610	730	850	910	1210	1450	1510	1570	1810	2110	2170	2410	2650

These windows also available in full width

BRICK SIZE	STUD OPENING	REVEAL SIZE	WINDOW
7	660	638	600
10	917	895	857
12	960	938	900
	1090	1068	1030
14	1260	1238	1200
16	1430	1408	1370
17	1517	1495	1457
	1560	1538	1500
21	1860	1838	1800
24	2095	2073	2035
	2160	2138	2100

7	660	638	600	QA0606	QA0607	QA0608	QA0609	QA0612	QA0614	QA0615	QA0616	QA0618	QA0621	QA0622	QA0624	QA0627
10	917	895	857	QA0806	QA0807	QA0808	QA0809	QA0812	QA0814	QA0815	QA0816	QA0818	QA0821	QA0822	QA0824	QA0827
12	960	938	900	QA0906	QA0907	QA0908	QA0909	QA0912	QA0914	QA0915	QA0916	QA0918	QA0921	QA0922	QA0924	QA0927
	1090	1068	1030	QA1006	QA1007	QA1008	QA1009	QA1012	QA1014	QA1015	QA1016	QA1018	QA1021	QA1022	QA1024	QA1027
14	1260	1238	1200	QA1206	QA1207	QA1208	QA1209	QA1212	QA1214	QA1215	QA1216	QA1218	QA1221	QC1222	QC1224	QC1227
16	1430	1408	1370	QA1306	QA1307	QA1308	QA1309	QA1312	QA1314	QA1315	QA1316	QA1318	QA1321	QA1322	QA1324	QA1327
17	1517	1495	1457	QA1406	QA1407	QA1408	QA1409	QA1412	QA1414	QA1415	QA1416	QA1418	QA1421	QA1422	QA1424	QA1427
	1560	1538	1500	QA1506	QA1507	QA1508	QA1509	QA1512	QA1514	QA1515	QA1516	QA1518	QA1521	QA1522	QA1524	QA1527
21	1860	1838	1800	QA1806T	QA1807T	QA1808T	QA1809T	QA1812T	QA1814T	QA1815T	QA1816 T	QA1818T	QA1821T	QA1822T	QA1824T	QA1827T
24	2095	2073	2035	QA2006T	QA2007T	QA2008T	QA2009T	QA2012T	QA2014T	QA2015T	QA2016T	QA2018T	QA2021T	QA2022T	QA2024T	QA2027T
	2160	2138	2100	QA2106T	QA2107T	QA2108T	QA2109T	QA2112T	QA2114T	QA2115T	QA2116T	QA2118T	QA2121T	QA2122T	QA2124T	QA2127T

These windows also available in full height

These windows also available in full height

These windows also available in full height

Quantum®

Hardware

OPTIONAL FEATURES

Xtreme® windows & doors
Bushfire Protection
✓ BAL-40 rating

SoundMizer®
✓ Glazing options to meet various Rw ratings

THERMASHIELD®
✓ Up to 24mm Double Glazing

✓ Ovolo bars
Cannot be integrated with Xtreme or double glazing

✓ Decorative bars
Cannot be integrated with double glazing

✓ Fly screen

✓ Security screen

TREND QUANTUM
BIFOLD WINDOWS

PANELS

2	Max width 1800mm	QBW-2/2L	QBW-2/2R
3	Max width 2700mm	 QBW-3/3L	 QBW-3/2L1R  QBW-3/1L2R  QBW-3/3R
4	Max width 3500mm	 QBW-4/4L	 QBW-4/3L1R  QBW-4/2L2R  QBW-4/1L3R  QBW-4/4R
5	Max width 4400mm	 QBW-5/5L	 QBW-5/4L1R  QBW-5/3L2R  QBW-5/2L3R  QBW-5/1L4R  QBW-5/5R
6	Max width 5300mm	 QBW-6/6L	 QBW-6/5L1R  QBW-6/4L2R  QBW-6/3L3R  QBW-6/2L4R  QBW-6/1L5R  QBW-6/6R
7	Max width 6065mm	 QBW-7/7L	 QBW-7/6L1R  QBW-7/5L2R  QBW-7/4L3R  QBW-7/3L4R  QBW-7/2L5R  QBW-7/1L6R  QBW-7/7R

BIFOLD VIEW

Plan – Inside



Front



All bifolds open outwards

CORNER BIFOLDS

Internal corner



External corner



Corner bifold windows use generic codes which are not size specific, when ordering a corner door you need to specify the height and both A and B width.

Quantum®

Hardware

OPTIONAL FEATURES

Xtreme® windows & doors Bushfire Protection

✗ BAL-40 rating

SoundMizer®

✓ Glazing options to meet various Rw ratings

THERMASHIELD®

✓ Up to 18mm Double Glazing

✓ Ovolo bars

Cannot be integrated with Xtreme or double glazing

✓ Decorative bars

Cannot be integrated with double glazing

✗ Fly screen

✗ Security screen

Maximum bifold window height is 1600mm

TREND QUANTUM
CASEMENT WINDOWS



Quantum®

Hardware

OPTIONAL FEATURES

Xtreme® windows & doors Bushfire Protection
✓ BAL-40 rating

SoundMizer®
✓ Glazing options to meet various Rw ratings

THERMASHIELD®
✓ Up to 24mm Double Glazing

✓ Ovolo bars
Cannot be integrated with Xtreme or double glazing

✓ Decorative bars
Cannot be integrated with double glazing

✓ Fly screen

✓ Security screen

TREND QUANTUM
LOUVRE WINDOWS



Quantum®

Hardware

OPTIONAL FEATURES

Xtreme® windows & doors
Bushfire Protection
✓ BAL-29 rating

SoundMizer®
X Glazing options to meet various Rw ratings

THERMASHIELD®
X Up to 24mm Double Glazing

X Ovolo bars

X Decorative bars

✓ Fly screen

✓ Security screen

TREND QUANTUM
ANEETA SASHLESS WINDOWS

WINDOW	2.5	3	3.5		5	6		6.5	7.5		9	10	11	REVEAL SIZE WINDOW
	670	790	910	970	1270	1510	1570	1630	1870		2170	2230	2470	2710
	648	768	888	948	1248	1488	1548	1608	1848		2148	2208	2448	2688
	610	730	850	910	1210	1450	1510	1570	1810		2110	2170	2410	2650
10	857	895	917											857	895	917	10
	900	938	960											900	938	960	
12	1030	1068	1090											1030	1068	1090	12
14	1200	1238	1260											1200	1238	1260	14
16	1370	1408	1430											1370	1408	1430	16
17	1457	1495	1517											1457	1495	1517	17
	1500	1538	1560											1500	1538	1560	
21	1800	1838	1860											1800	1838	1860	21
24	2035	2073	2095											2035	2073	2095	24
	2100	2138	2160											2100	2138	2160	



These windows also available with a transom

These windows also available with a transom

OPTIONAL FEATURES

- Xtreme windows & doors Bushfire Protection — BAL-29 rating
- SoundMizer — Glazing options to meet various Rw ratings
- THERMASHIELD — 24mm Double Glazing
- Ovolo bars
- Decorative bars
- Fly screen
- Security screen

TREND QUANTUM
SLIDING WINDOWS



These windows also available in two lite, centre and double centre opening

BRICK SIZE
STUD OPENING
REVEAL SIZE
WINDOW
7 10 12 14 16 17 21 24
660 917 1090 1260 1430 1517 1560 1860 2095 2160
638 895 1068 1238 1408 1495 1538 1838 2073 2138
600 857 1030 1200 1370 1457 1500 1800 2035 2100

Quantum®

Hardware

OPTIONAL FEATURES

Xtreme® windows & doors
Bushfire Protection
✓ BAL-40 rating

SoundMizer®
✓ Glazing options to meet various Rw ratings

THERMASHIELD®
✓ Up to 24mm Double Glazing

✓ Ovolo bars
Cannot be integrated with Xtreme or double glazing

✓ Decorative bars
Cannot be integrated with double glazing

✓ Fly screen

✓ Security screen

TREND QUANTUM
BIFOLD DOORS

PANELS

2 PANELS

Width	
1322	QBD2113/2L
1522	QBD2115/2L
1722	QBD2117/2L

Width	
1322	QBD2113/2R
1522	QBD2115/2R
1722	QBD2117/2R

3 PANELS

Width	
1943	QBD2119/3L
2242	QBD2122/3L
2543	QBD2125/3L

Width	
1947	QBD2119/2L1R
2247	QBD2122/2L1R
2547	QBD2125/2L1R



Width	
1947	QBD2119/1L2R
2247	QBD2122/1L2R
2547	QBD2125/1L2R



Width	
1943	QBD2119/3R
2242	QBD2122/3R
2543	QBD2125/3R

4 PANELS



Width	
2564	QBD2126/4L
2964	QBD2130/4L
3364	QBD2134/4L



Width	
2568	QBD2126/3L1R
2968	QBD2130/3L1R
3368	QBD2134/3L1R



Width	
2564	QBD2126/2L2R
2964	QBD2130/2L2R
3364	QBD2134/2L2R



Width	
2568	QBD2126/1L3R
2968	QBD2130/1L3R
3368	QBD2134/1L3R



Width	
2564	QBD2126/4R
2964	QBD2130/4R
3364	QBD2134/4R

5 PANELS



Width	
3185	QBD2132/5L
3685	QBD2137/5L
4185	QBD2142/5L



Width	
3189	QBD2132/4L1R
3689	QBD2137/4L1R
4189	QBD2142/4L1R



Width	
3189	QBD2132/3L2R
3689	QBD2137/3L2R
4189	QBD2142/3L2R



Width	
3189	QBD2132/2L3R
3689	QBD2137/2L3R
4189	QBD2142/2L3R



Width	
3189	QBD2132/1L4R
3689	QBD2137/1L4R
4189	QBD2142/1L4R



Width	
3185	QBD2132/5R
3685	QBD2137/5R
4185	QBD2142/5R

6 PANELS



Width	
3806	QBD2138/6L
4406	QBD2144/6L
5006	QBD2150/6L



Width	
3810	QBD2138/5L1R
4410	QBD2144/5L1R
5010	QBD2150/5L1R



Width	
3810	QBD2138/4L2R
4410	QBD2144/4L2R
5010	QBD2150/4L2R



Width	
3810	QBD2138/3L3R
4410	QBD2144/3L3R
5010	QBD2150/3L3R



Width	
3810	QBD2138/2L4R
4410	QBD2144/2L4R
5010	QBD2150/2L4R



Width	
3810	QBD2138/1L5R
4410	QBD2144/1L5R
5010	QBD2150/1L5R



Width	
3806	QBD2138/6R
4406	QBD2144/6R
5006	QBD2150/6R

7 PANELS



Width	
4427	QBD2144/7L
5127	QBD2151/7L
5827	QBD2158/7L



Width	
4431	QBD2144/6L1R
5131	QBD2151/6L1R
5831	QBD2158/6L1R



Width	
4431	QBD2144/5L2R
5131	QBD2151/5L2R
5831	QBD2158/5L2R



Width	
4431	QBD2144/4L3R
5131	QBD2151/4L3R
5831	QBD2158/4L3R



Width	
4431	QBD2144/3L4R
5131	QBD2151/3L4R
5831	QBD2158/3L4R



Width	
4431	QBD2144/2L5R
5131	QBD2151/2L5R
5831	QBD2158/2L5R



Width	
4431	QBD2144/1L6R
5131	QBD2151/1L6R
5831	QBD2158/1L6R



Width	
4427	QBD2144/7R
5127	QBD2151/7R
5827	QBD2158/7R

Standard bifold door height is 2105mm
Maximum height for custom bifold door is 2700mm

BIFOLD VIEW

Plan – Inside



Front



All bifolds open outwards

CORNER BIFOLDS

Internal corner



External corner



Corner bifold doors use generic codes which are not size specific, when ordering a corner door you need to specify the height and both A and B width. Corner bifolds must have an odd number of doors each way.

Quantum®

Hardware

OPTIONAL FEATURES

Xtreme® windows & doors
Bushfire Protection
BAL-40 rated up to 2400mm high

SoundMizer®
✓ Glazing options to meet various Rw ratings

THERMASHIELD®
✓ Up to 18mm Double Glazing

✓ Ovolo bars
Cannot be integrated with Xtreme or double glazing

✓ Decorative bars
Cannot be integrated with double glazing

✗ Fly screen

✗ Security screen

TREND QUANTUM
HINGE DOORS



DOOR STYLE OPTIONS



SIDELITE CONFIGURATIONS



OPTIONAL SIDELITES

430 SIDELITE



388 & 438 SIDELITE

LAUNDRY SIDELITE CONFIGURATIONS

Maximum height for custom hinge door is 2400m

Quantum

Hardware

OPTIONAL FEATURES

Xtreme windows & doors
Bushfire Protection
✓ BAL-40 rating

SoundMizer
✓ Glazing options to meet various Rw ratings

THERMASHIELD
✓ Up to 18mm Double Glazing

✓ Ovolo bars
Cannot be integrated with Xtreme or double glazing

✓ Decorative bars
Cannot be integrated with double glazing

✓ Fly door

✓ Security door

TREND QUANTUM
SLIDING DOORS



TREND QUANTUM
STACKER DOORS



CORNER DOORS

Corner sliding and stacker doors use generic codes which are not size specific, when ordering a corner door you need to specify the height and both A and B width.

Internal corner



External corner



PLAN VIEW

Internal corner



External corner



Quantum®

Hardware

OPTIONAL FEATURES

Xtreme® windows & doors
Bushfire Protection
✓ BAL-40 rating

SoundMizer®
✓ Glazing options to meet various Rw ratings

THERMASHIELD®
✓ Up to 18mm Double Glazing

✓ Ovolo bars
Cannot be integrated with Xtreme or double glazing

✓ Decorative bars
Cannot be integrated with double glazing

✓ Fly screen

✓ Security screen

TREND QUANTUM
PLATINUM SLIDING DOORS

BRICK SIZE	7.5		9	10	12.5	15
STUD OPENING	1870	2170	2230	2470	3070	3670
REVEAL SIZE	1848	2148	2208	2448	3048	3648
DOOR	1810	2110	2170	2410	3010	3610

DOOR	REVEAL SIZE	STUD OPENING	BRICK SIZE
2100	2119	2140	
2400	2419	2440	
2700	2719	2740	
3000	3019	3040	

QPXD2118 QPXD2121 QPXD2122 QPXD2124 QPXD2130 QPXD2136

QPXD2418 QPXD2421 QPXD2422 QPXD2424 QPXD2430 QPXD2436

QPXD2718 QPXD2721 QPXD2722 QPXD2724 QPXD2730 QPXD2736

QPXD3018 QPXD3021 QPXD3022 QPXD3024 QPXD3030 QPXD3036

BRICK SIZE	17.5	20	22.5	25
STUD OPENING	4270	4870	5470	6070
REVEAL SIZE	4248	4848	5448	6048
DOOR	4210	4810	5410	6010

DOOR	REVEAL SIZE	STUD OPENING	BRICK SIZE
2100	2119	2140	
2400	2419	2440	
2700	2719	2740	
3000	3019	3040	

QPXD2142 QPXD2148 QPXD2154 QPXD2160

QPXD2442 QPXD2448 QPXD2454 QPXD2460

QPXD2742 QPXD2748 QPXD2754 QPXD2760

QPXD3042 QPXD3048 QPXD3054 QPXD3060

TREND QUANTUM
PLATINUM STACKER DOORS

BRICK SIZE	10	12.5	15	17.5	20
STUD OPENING	2470	3070	3670	4270	4870
REVEAL SIZE	2448	3048	3648	4248	4848
DOOR	2410	3010	3610	4210	4810

DOOR	REVEAL SIZE	STUD OPENING	BRICK SIZE
2100	2119	2140	
2400	2419	2440	
2700	2719	2740	
3000	3019	3040	

QPSD2124 QPSD2130 QPSD2136 QPSD2142 QPSD2148

QPSD2424 QPSD2430 QPSD2436 QPSD2442 QPSD2448

QPSD2724 QPSD2730 QSD2736 QPSD2742 QPSD2748

QPSD3024 QPSD3030 QSD3036 QPSD3042 QPSD3048

BRICK SIZE	22.5	25	
STUD OPENING	5470	6070	6370
REVEAL SIZE	5448	6048	6348
DOOR	5410	6010	6310

DOOR	REVEAL SIZE	STUD OPENING	BRICK SIZE
2100	2119	2140	
2400	2419	2440	
2700	2719	2740	
3000	3019	3040	

QPSD2154 QPSD2160 QPSD2163

QPSD2454 QPSD2460 QPSD2463

QPSD2754 QPSD2760 QPSD2763

QPSD3054 QPSD3060 QPSD3063

Quantum®

Hardware

OPTIONAL FEATURES

Xtreme® windows & doors
Bushfire Protection
✓ BAL-29 rating

SoundMizer®
✓ Glazing options to meet various Rw ratings

THERMASHIELD®
✓ Up to 24mm Double Glazing

✗ Ovolo bars

✓ Decorative bars
Cannot be integrated with double glazing

✓ Fly door

✓ Security door

TREND SYNERGY®
AWNING WINDOWS

Trend Synergy. Our slim profile series made in Australia from quality Australian aluminium. Designed to give home builders the widest choice of cost effective, durable and reliable windows and doors.

BRICK SIZE	2.5	3	3.5		5	6		6.5	7.5		9	10	11	BRICK SIZE
STUD OPENING	670	790	910	970	1270	1510	1570	1630	1870	2170	2230	2470	2710	STUD OPENING
REVEAL SIZE	648	768	888	948	1248	1488	1548	1608	1848	2148	2208	2448	2688	REVEAL SIZE
WINDOW	610	730	850	910	1210	1450	1510	1570	1810	2110	2170	2410	2650	WINDOW

These windows also available in full width

7	660	638	600	SA0606	SA0607	SA0608	SA0609	SA0612	SA0614	SA0615	SA0616	SA0618	SA0621	SA0622	SA0624	SA0627	600	638	660	7
10	917	895	857	SA0806	SA0807	SA0808	SA0809	SA0812	SA0814	SA0815	SA0816	SA0818	SA0821	SA0822	SA0824	SA0827	857	895	917	10
	960	938	900	SA0906	SA0907	SA0908	SA0909	SA0912	SA0914	SA0915	SA0916	SA0918	SA0921	SA0922	SA0924	SA0927	900	938	960	
12	1090	1068	1030	SA1006	SA1007	SA1008	SA1009	SA1012	SA1014	SA1015	SA1016	SA1018	SA1021	SA1022	SA1024	SA1027	1030	1068	1090	12
14	1260	1238	1200	SA1206	SA1207	SA1208	SA1209	SA1212	SA1214	SA1215	SA1216	SA1218	SA1221	SA1222	SA1224	SA1227	1200	1238	1260	14
16	1430	1408	1370	SA1306	SA1307	SA1308	SA1309	SA1312	SA1314	SA1315	SA1316	SA1318	SA1321	SA1322	SA1324	SA1327	1370	1408	1430	16
17	1517	1495	1457	SA1406	SA1407	SA1408	SA1409	SA1412	SA1414	SA1415	SA1416	SA1418	SA1421	SA1422	SA1424	SA1427	1457	1495	1517	17
	1560	1538	1500	SA1506	SA1507	SA1508	SA1509	SA1512	SA1514	SA1515	SA1516	SA1518	SA1521	SA1522	SA1524	SA1527	1500	1538	1560	
21	1860	1838	1800	SA1806T	SA1807T	SA1808T	SA1809T	SA1812T	SA1814T	SA1815T	SA1816T	SA1818T	SA1821T	SA1822T	SA1824T	SA1827T	1800	1838	1860	21
24	2095	2073	2035	SA2006T	SA2007T	SA2008T	SA2009T	SA2012T	SA2014T	SA2015T	SA2016T	SA2018T	SA2021T	SA2022T	SA2024T	SA2027T	2035	2073	2095	24
	2160	2138	2100	SA2106T	SA2107T	SA2108T	SA2109T	SA2112T	SA2114T	SA2115T	SA2116 T	SA2118T	SA2121T	SA2122T	SA2124T	SA2127T	2100	2138	2160	

1200 / 600

1370 / 665

1200 / 900

These windows also available in full height

These windows also available in full height

These windows also available in full height

Synergy awnings with double glazing or ovolo bars use the Sentinel window sash.

Hardware

OPTIONAL FEATURES

Xtreme windows & doors Bushfire Protection
✓ BAL-40 rating

SoundMizer
✓ Glazing options to meet various Rw ratings

THERMASHIELD
✓ Up to 18mm Double Glazing

✓ Ovolo bars
Cannot be integrated with Xtreme or double glazing

✓ Decorative bars
Cannot be integrated with double glazing

✓ Fly screen

✓ Security screen

TREND SYNERGY
STANDARD DOUBLE HUNG WINDOWS

BRICK SIZE		2.5	3	3.5		5	6		6.5	7.5		9	10	11	BRICK SIZE
STUD OPENING		670	790	910	970	1270	1510	1570	1630	1870	2170	2230	2470	2710	STUD OPENING
REVEAL SIZE		648	768	888	948	1248	1488	1548	1608	1848	2148	2208	2448	2688	REVEAL SIZE
WINDOW		610	730	850	910	1210	1450	1510	1570	1810	2110	2170	2410	2650	WINDOW
10	857	SD0806	SD0807	SD0808	SD0809	SD0812	SD0814	SD0815	SD0816	SD0818	SD0821	SD0822	SD0824	SD0827	10
	895														
	917														
	900	SD0906	SD0907	SD0908	SD0909	SD0912	SD0914	SD0915	SD0916	SD0918	SD0921	SD0922	SD0924	SD0927	
	938														
	960														
12	1030	SD1006	SD1007	SD1008	SD1009	SD1012	SD1014	SD1015	SD1016	SD1018	SD1021	SD1022	SD1024	SD1027	12
	1068														
	1090														
14	1200	SD1206	SD1207	SD1208	SD1209	SD1212	SD1214	SD1215	SD1216	SD1218	SD1221	SD1222	SD1224	SD1227	14
	1238														
	1260														
16	1370	SD1306	SD1307	SD1308	SD1309	SD1312	SD1314	SD1315	SD1316	SD1318	SD1321	SD1322	SD1324	SD1327	16
	1408														
	1430														
17	1457	SD1406	SD1407	SD1408	SD1409	SD1412	SD1414	SD1415	SD1416	SD1418	SD1421	SD1422	SD1424	SD1427	17
	1495														
	1517														
	1500	SD1506	SD1507	SD1508	SD1509	SD1512	SD1514	SD1515	SD1516	SD1518	SD1521	SD1522	SD1524	SD1527	
	1538														
	1560														
21	1800	SD1806	SD1807	SD1808	SD1809	SD1812	SD1814	SD1815	SD1816	SD1818	SD1821	SD1822	SD1824	SD1827	21
	1838														
	1860														
24	2035	SD2006T	SD2007T	SD2008T	SD2009T	SD2012T	SD2014T	SD2015T	SD2016T	SD2018T	SD2021T	SD2022T	SD2024T	SD2027T	24
	2073														
	2095														
	2100	SD2106T	SD2107T	SD2108T	SD2109T	SD2112T	SD2114T	SD2115T	SD2116T	SD2118T	SD2121T	SD2122T	SD2124T	SD2127T	
	2138														
	2160														

1370 / 665

1200 / 900

These windows also available in full height

These windows also available in full height

Synergy®

Hardware

OPTIONAL FEATURES

Xtreme® windows & doors Bushfire Protection
✓ BAL-29 rating

SoundMizer®
✓ Glazing options to meet various Rw ratings

THERMASHIELD®
✓ 6mm Low E Glazing

✗ Ovolo bars

✓ Decorative bars
Cannot be integrated with double glazing

✓ Fly screen

✓ Security screen

TREND SYNERGY
WIDESTYLE DOUBLE HUNG WINDOWS



These windows also available in full height

These windows also available in full height

Hardware

OPTIONAL FEATURES

Xtreme windows & doors Bushfire Protection
✓ BAL-29 rating

SoundMizer
✓ Glazing options to meet various Rw ratings

THERMASHIELD
✓ Up to 18mm Double Glazing

✓ Ovolo bars
Cannot be integrated with Xtreme or double glazing

✓ Decorative bars
Cannot be integrated with double glazing

✓ Fly screen

✓ Security screen

TREND SYNERGY
SLIDING WINDOWS

BRICK SIZE		2.5	3	3.5		5	6		6.5	7.5		9	10	11	BRICK SIZE
STUD OPENING		670	790	910	970	1270	1510	1570	1630	1870	2170	2230	2470	2710	STUD OPENING
REVEAL SIZE		648	768	888	948	1248	1488	1548	1608	1848	2148	2208	2448	2688	REVEAL SIZE
WINDOW		610	730	850	910	1210	1450	1510	1570	1810	2110	2170	2410	2650	WINDOW
7	600	SS0606	SS0607	SS0608	SS0609	SS0612	SS0614	SS0615	SS0616	SS0618					600	7
10	857	SS0806	SS0807	SS0808	SS0809	SS0812	SS0814	SS0815	SS0816	SS0818					857	10
12	900	SS0906	SS0907	SS0908	SS0909	SS0912	SS0914	SS0915	SS0916	SS0918					900	12
14	1030	SS1006	SS1007	SS1008	SS1009	SS1012	SS1014	SS1015	SS1016	SS1018					1030	14
16	1200	SS1206	SS1207	SS1208	SS1209	SS1212	SS1214	SS1215	SS1216	SS1218					1200	16
17	1370	SS1306	SS1307	SS1308	SS1309	SS1312	SS1314	SS1315	SS1316	SS1318					1370	17
	1457			SS1408	SS1409	SS1412	SS1414	SS1415	SS1416	SS1418					1457	
	1500			SS1508	SS1509	SS1512	SS1514	SS1515	SS1516	SS1518					1500	
21	1800	SS1806T	SS1807T	SS1808T	SS1809T	SS1812T	SS1814T	SS1815T	SS1816T	SS1818T	SS1821T	SS1822T	SS1824T	SS1827T	1800	21
24	2035	SS2006T	SS2007T	SS2008T	SS2009T	SS2012T	SS2014T	SS2015T	SS2016T	SS2018T	SS2021T	SS2022T	SS2024T	SS2027T	2035	24
	2100	SS2106T	SS2107T	SS2108T	SS2109T	SS2112T	SS2114T	SS2115T	SS2116T	SS2118T	SS2121T	SS2122T	SS2124T	SS2127T	2100	

These windows also available in two lite, centre and double centre opening

Also available in centre & double centre opening

SS0621	SS0622	SS0624	SS0627
SS0821	SS0822	SS0824	SS0827
SS0921	SS0922	SS0924	SS0927
SS1021	SS1022	SS1024	SS1027
SS1221	SS1222	SS1224	SS1227
SS1321	SS1322	SS1324	SS1327
SS1421	SS1422	SS1424	SS1427
SS1521	SS1522	SS1524	SS1527

Synergy®

Hardware

OPTIONAL FEATURES

Xtreme® windows & doors Bushfire Protection
✓ BAL-40 rating

SoundMizer®
✓ Glazing options to meet various Rw ratings

THERMASHIELD®
✓ Up to 18mm Double Glazing

✗ Ovolo bars

✓ Decorative bars
Cannot be integrated with double glazing

✓ Fly screen

✓ Security screen

TREND SYNERGY
SLIDING DOORS

BRICK SIZE	6	6.5	7.5		9	10
STUD OPENING	1510	1630	1870	2170	2230	2470
REVEAL SIZE	1488	1608	1848	2148	2208	2448
DOOR	1450	1570	1810	2110	2170	2410
2140 / 2119 / 2100	SXD2115	SXD2116	SXD2118	SXD2121	SXD2122	SXD2124
2440 / 2419 / 2400	SXD2415	SXD2416	SXD2418	SXD2421	SXD2422	SXD2424

BRICK SIZE	15			
STUD OPENING	2772	3222	3312	3671
REVEAL SIZE	2750	3200	3290	3650
DOOR	2712	3162	3252	3612
2140 / 2119 / 2100	SXD2127	SXD2132	SXD2133	SXD2136
2440 / 2419 / 2400	SXD2427	SXD2432	SXD2433	SXD2436

BRICK SIZE					
STUD OPENING	2920	3640	4240	4360	4840
REVEAL SIZE	2898	3618	4218	4338	4818
DOOR	2860	3580	4180	4300	4780
2140 / 2119 / 2100	SXD2129	SXD2135	SXD2142	SXD2143	SXD2148
2440 / 2419 / 2400	SXD2429	SXD2435	SXD2442	SXD2443	SXD2448

TREND SYNERGY
STACKER DOORS

BRICK SIZE	2199	2739	3189	3279	3639
STUD OPENING	2177	2717	3167	3257	3617
REVEAL SIZE	2139	2679	3129	3219	3579
DOOR					
2140 / 2119 / 2100	SSD2121	SSD2127	SSD2131	SSD2132	SSD2136
2440 / 2419 / 2400	SSD2421	SSD2427	SSD2431	SSD2432	SSD2436

BRICK SIZE	4308	5388	6288
STUD OPENING	4286	5366	6266
REVEAL SIZE	4248	5328	6228
DOOR			
2140 / 2119 / 2100	SSD2142	SSD2153	SSD2162
2440 / 2419 / 2400	SSD2442	SSD2453	SSD2462

CORNER DOORS

Corner sliding and stacker doors use generic codes which are not size specific, when ordering a corner door you need to specify the height and both A and B width.

Internal corner



External corner



PLAN VIEW

Internal corner



External corner



Synergy®

Hardware

OPTIONAL FEATURES

Xtreme® windows & doors Bushfire Protection
✓ BAL-29 rating

SoundMizer®
✓ Glazing options to meet various Rw ratings

THERMASHIELD®
✓ Up to 18mm Double Glazing

✓ Ovolo bars
Cannot be integrated with Xtreme or double glazing

✓ Decorative bars
Cannot be integrated with double glazing

✓ Fly door

✓ Security door

TREND thermAL®
AWNING WINDOWS

Trend thermAL. Our energy efficient series made in Australia from quality Australian aluminium. Double glazed designs provide vastly improved thermal efficiency, saving energy year after year.



Trend thermAL

Hardware

OPTIONAL FEATURES

Xtreme windows & doors Bushfire Protection
✓ BAL-40 rating

SoundMizer
✓ Glazing options to meet various Rw ratings

THERMASHIELD
✓ Up to 24mm Double Glazing

✗ Ovolo bars

✗ Decorative bars

✓ Fly screen

✓ Security screen

Aluminium exterior and Extruded Rigid Polymer (ERP) interior.

TREND thermAL
CASEMENT WINDOWS



These windows also available in full height

These windows also available in full height

These windows also available in full height

Trend thermAL

Hardware

OPTIONAL FEATURES

Xtreme windows & doors Bushfire Protection
✓ BAL-40 rating

SoundMizer
✓ Glazing options to meet various Rw ratings

THERMASHIELD
✓ Up to 24mm Double Glazing

✗ Ovolo bars

✗ Decorative bars

✓ Fly screen

✓ Security screen

TREND thermAL
BIFOLD DOORS

PANELS

2 Panels

Width	
1388	TB2114/2L
1588	TB2116/2L
1788	TB2118/2L

Width	
1388	TB2114/2R
1588	TB2116/2R
1788	TB2118/2R

3 Panels

Width	
2043	TB2120/3L
2343	TB2123/3L
2643	TB2126/3L

Width	
2046	TB2120/2L1R
2346	TB2123/2L1R
2646	TB2126/2L1R



Width	
2046	TB2120/1L2R
2346	TB2123/1L2R
2646	TB2126/1L2R



Width	
2043	TB2120/3R
2343	TB2123/3R
2643	TB2126/3R

4 Panels



Width	
2696	TB2127/4L
3096	TB2131/4L
3496	TB2135/4L

Width	
2700	TB2127/3L1R
3100	TB2131/3L1R
3500	TB2135/3L1R



Width	
2696	TB2127/2L2R
3096	TB2131/2L2R
3496	TB2135/2L2R

Width	
2700	TB2127/1L3R
3100	TB2131/1L3R
3500	TB2135/1L3R



Width	
2696	TB2127/4R
3096	TB2131/4R
3496	TB2135/4R

5 Panels



Width	
3350	TB2134/5L
3860	TB2139/5L
4360	TB2144/5L



Width	
3355	TB2134/4L1R
3855	TB2139/4L1R
4355	TB2144/4L1R



Width	
3355	TB2134/3L2R
3855	TB2139/3L2R
4355	TB2144/3L2R



Width	
3355	TB2134/2L3R
3855	TB2139/2L3R
4355	TB2144/2L3R



Width	
3355	TB2134/1L4R
3855	TB2139/1L4R
4355	TB2144/1L4R



Width	
3350	TB2134/5R
3860	TB2139/5R
4360	TB2144/5R

6 Panels



Width	
4002	TB2140/6L
4602	TB2146/6L
5202	TB2152/6L



Width	
4008	TB2140/5L1R
4608	TB2146/5L1R
5208	TB2152/5L1R



Width	
4008	TB2140/4L2R
4608	TB2146/4L2R
5208	TB2152/4L2R



Width	
4008	TB2140/3L3R
4608	TB2146/3L3R
5208	TB2152/3L3R



Width	
4008	TB2140/2L4R
4608	TB2146/2L4R
5208	TB2152/2L4R



Width	
4008	TB2140/1L5R
4608	TB2146/1L5R
5208	TB2152/1L5R



Width	
4002	TB2140/6R
4602	TB2146/6R
5202	TB2152/6R

7 Panels



Width	
4653	TB2147/7L
5353	TB2154/7L
6053	TB2161/7L



Width	
4662	TB2147/6L1R
5362	TB2154/6L1R
6062	TB2161/6L1R



Width	
4662	TB2147/5L2R
5362	TB2154/5L2R
6062	TB2161/5L2R



Width	
4662	TB2147/4L3R
5362	TB2154/4L3R
6062	TB2161/4L3R



Width	
4662	TB2147/3L4R
5362	TB2154/3L4R
6062	TB2161/3L4R



Width	
4662	TB2147/2L5R
5362	TB2154/2L5R
6062	TB2161/2L5R



Width	
4662	TB2147/1L6R
5362	TB2154/1L6R
6062	TB2161/1L6R



Width	
4653	TB2147/7R
5353	TB2154/7R
6053	TB2161/7R

BIFOLD VIEW

Plan – Inside



Front



All bifolds open outwards

CORNER BIFOLDS

Internal corner



External corner



Corner bifold windows use generic codes which are not size specific, when ordering a corner door you need to specify the height and both A and B width.

Trend thermAL

Hardware

OPTIONAL FEATURES

Xtreme windows & doors Bushfire Protection
✓ BAL-40 rating

SoundMizer
✓ Glazing options to meet various Rw ratings

THERMASHIELD
✓ Up to 24mm Double Glazing

✗ Ovolo bars

✗ Decorative bars

✗ Fly door

✗ Security door

Standard bifold door height is 2105mm
Maximum height for custom bifold doors is 2400m

TREND thermAL
HINGE DOORS



Hardware

OPTIONAL FEATURES

Xtreme windows & doors Bushfire Protection
✓ BAL-40 rating

SoundMizer
✓ Glazing options to meet various Rw ratings

THERMASHIELD
✓ Up to 24mm Double Glazing

✗ Ovolo bars

✗ Decorative bars

✓ Fly door

✓ Security door

TREND thermAL
SLIDING & STACKER DOORS



Trend thermAL Sliding Door = TAXD

Trend thermAL Stacker Door = TASD

Hardware

OPTIONAL FEATURES

Xtreme windows & doors Bushfire Protection
✓ BAL-29 rating

SoundMizer
✓ Glazing options to meet various Rw ratings

THERMASHIELD
✓ Up to 24mm Double Glazing

✗ Ovolo bars

✗ Decorative bars

✓ Fly door

✓ Security door

Aluminium exterior and Extruded Rigid Polymer (ERP) interior.